The asbestos paradox: global gaps in the translational science of disease prevention


Oladele A Ogunseitana

Mesothelioma, a malignant cancer of the pleura, is almost exclusively associated with asbestos exposure.1 What will it take to eradicate this highly preventable cancer? Despite the scientific consensus that exposure to asbestos fibres causes deadly diseases, we continue to use asbestos in products designed ostensibly to improve quality of life. For example, asbestos is still used in automobile brake-linings, and in the chloralkali industry that produces chlorine for disinfecting water worldwide.2 Toxic asbestos remains the main material for some plastics and in domestic building products - especially in corrugated roof materials for housing in developing countries.

Regional disparities persist in translating scientific knowledge of asbestos risks to policy for preventing cancers and other diseases. Most cases of mesothelioma are now found in countries producing asbestos and in developing countries using the products, where scientific knowledge of asbestos toxicity seems to have been lost in translation.3 It is in these countries, where affected populations are less likely to have access to prompt diagnosis, health care or litigation, that we will observe the next wave of mesothelioma cases.3 A perspective on three scientific translational gaps is presented here: (i) making policy decisions within the context of scientific uncertainty, (ii) the role of alternative assessments in selecting safer commercial materials, and (iii) the translation of scientific evidence into disease prevention.

The International Labour Organization's Asbestos Convention, designed to protect workers from the well-known hazards of asbestos exposure, entered into force on 16 June 1989. Yet, nearly twenty-five years later, only 35 countries, 19% of 184 that are eligible, have formally ratified the Convention.² In contrast, 154 countries (83% of those

Fig. 1. Asbestos producers and consumers, selected countries, 2011



- Production
- Consumption
- Country that ratified ILO's Asbestos Convention²

Notes: ILO: International Labour Organization. Seven countries, written in bold typeface, voted to block the initiative to require prior informed consent for international shipment of chrysotile asbestos during the 2013 Conference of Parties to the Rotterdam Convention.

Data sources: Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade UNEP/FAO/TC/COP.6/20⁴ and asbestos statistics and information.5

eligible) are Parties to the 1998 Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.⁴ However, attempts to include chrysotile asbestos - the most common form used - in Annex III of the Rotterdam Convention have failed repeatedly, most recently at the sixth Conference of Parties due to resistance from seven countries, most of whom continue to produce, use, and export asbestos on a large scale (Fig. 1). The minority objection prevailed despite powerful testimony from the represen-

tative of the World Health Organization (WHO) that chrysotile and all forms of asbestos are carcinogenic to humans.6 Moreover, given the widespread use of chrysotile in domestic building products, it is impossible to safeguard hazardous exposures in occupational settings or to prevent environmental contamination that threatens the general population. Opposition to the proposal to regulate chrysotile asbestos under the Rotterdam Convention highlights three major gaps in the translation of scientific evidence to global disease prevention policy.

(Submitted: 3 June 2014 – Revised version received: 26 November 2014 – Accepted: 3 December 2014 – Published online: 27 February 2015)

^a Department of Population Health and Disease Prevention, Program in Public Health, 653 East Peltason Drive, University of California, Irvine, California, 92697-3957, United States of America.

Correspondence to Oladele A Ogunseitan (email: Oladele.Ogunseitan@uci.edu).

The first gap concerns making policy decisions within the context of scientific uncertainty. For example, the representative of one country claimed that there are insufficient scientific data to support listing asbestos under the Rotterdam Convention. This objection reflects a lack of understanding of the complexities of the scientific process and the inherent variability of factors that contribute to the relationship between toxic exposures and disease outcomes. There are small differences in the findings of observational studies of the effects of asbestos exposure. These are the result of complex interactions between asbestos exposure and genetic, environmental and social factors. Published research in this field includes studies contributed by laboratories that may have a conflict of interest with the asbestos industry.7 This complicates any assessment of the scientific evidence. In practice, a combination of different categories of evidence are used to reach policy decisions that protect the most vulnerable people.8 The proposed requirement of informed consent for the use of chrysotile is based on consistent and reliable evidence from numerous empirical and mechanistic studies conducted by independent scientists.

The second gap is the role of alternatives assessments in the selection of safer materials used in consumer products. For example, at least two representatives of countries opposing the international regulation of chrysotile asbestos claim that alternative materials have not been sufficiently researched to compare the risks to human health and the environment. Also, claims have been made that technical assistance is lacking for countries wishing to phase out asbestos use and replace it with safer alternatives. The scientific methods developed to address this issue - including materials' life cycle assessment and functional equivalence - struggle with making comparisons across very different characteristics and potential health and environmental impacts. The assessment methods also have to compare a range of plausible disease endpoints. Whereas a particular material used in a consumer product may be linked to respiratory diseases, proposed alternatives may be linked to reproductive health effects, cognitive deficits or to cancers.9 Although there are legitimate scientific issues to be resolved with alternative assessments, they do not amount, in the case of asbestos, to reasons for stalling policy procedures that simply require informed consent. Inclusion of asbestos under the Rotterdam Convention would increase the pace of research to discover safer alternative materials and their adoption by key industries.

The third gap in the efficient translation of scientific evidence to disease prevention policy is the need to acknowledge trade-offs between public health, industrial development, economic advancement, employment and political autonomy. Representatives of countries opposing the listing of asbestos under the Rotterdam Convention acknowledge that this inclusion would not imply a ban on production, but argue that it would have a negative impact on international trade and contribute to unemployment. Without political consensus, regulations may be ineffective as detractors identify and use loopholes and backdoor trading to circumvent international policy. This has been the case, for example, with toxic electronic waste and the Basel Convention for controlling transboundary movements and disposal of hazardous wastes. 10,11 Yet, forwardthinking countries manage to withstand pressure to protect economic interests at the expense of public health. This is exemplified by the implementation of California's landmark safer consumer products regulations after five years of contemplation and debate surrounding these trade-offs.12

It is possible to eradicate mesothelioma, but we must work harder to bridge the gaps between scientific knowledge and policy decisions that should protect people.

Competing interests: None declared.

References

- 1. Norbet C, Joseph A, Rossi SS, Bhalla S, Gutierrez FR. Asbestos-related lung disease: A pictorial view. Curr Probl Diagn Radiol. 2014 Oct 30. doi: http:// dx.doi.org/10.1067/j.cpradiol.2014.10.002 PMID: 25444537
- Ratifications of C162–Asbestos Convention. (No. 162) [Internet]. Geneva: International Labour Organization; 1986. Available from: http://www.ilo. org/dyn/normlex/en/f?p=NORMLEXPUB:11300::0:NO:11300:P11300_ INSTRUMENT_ID:312307:NO [cited 2014 Nov 26].
- Park EK, Takahashi K, Hoshuyama T, Cheng TJ, Delgermaa V, Le GV, et al. Global magnitude of reported and unreported mesothelioma. Environ Health Perspect. 2011 Apr;119(4):514-8. doi: http://dx.doi.org/10.1289/ ehp.1002845 PMID: 21463977
- Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade UNEP/FAO/TC/ COP.6/20. In: Conference of the Parties, Sixth Meeting, Geneva, 28 April–10 May 2013. New York: United Nations; 2013. Available from: http://www.pic. int/TheConvention/ConferenceoftheParties/Meetings/COP6/tabid/2908/ language/en-US/Default.aspx [cited 2015 Feb 20].
- Asbestos statistics and information [Internet]. Reston: United States Geological Survey Minerals Information; 2015. Available from: http:// minerals.usgs.gov/minerals/pubs/commodity/asbestos/ [cited 2015 Feb 20].
- Monographs on the evaluation of carcinogenic risks to humans Asbestos (Chrysotile, Amosite, Crocidolite, Tremolite, Actinolite, and Anthophyllite). [Volume 100C]. Lyon: International Agency for Research on Cancer; 2012. pp 219–309. Available from: http://monographs.iarc.fr/ENG/Monographs/ vol100C/mono100C-11.pdf [cited 2014 Nov 26].


- 7. Egilman D, Bird T, Lee C. Dust diseases and the legacy of corporate manipulation of science and law. Int J Occup Environ Health. 2014 Apr-Jun;20(2):115–25. doi: http://dx.doi.org/10.1179/107735251 4Z.00000000104 PMID: 24999846
- Park SJ, Ogunseitan OA, Lejano RP. Dempster-Shafer theory applied to regulatory decision process for selecting safer alternatives to toxic chemicals in consumer products. Integr Environ Assess Manag. 2014 Jan;10(1):12-21. doi: http://dx.doi.org/10.1002/ieam.1460 PMID: 23804574
- 9. Ogunseitan OA, Schoenung JM. Human health and ecotoxicological considerations in materials selection for sustainable product development. MRS Bull. 2012;37(04):356-63. doi: http://dx.doi.org/10.1557/mrs.2012.8
- 10. Ogunseitan OA, Schoenung JM, Saphores J-DM, Shapiro AA. Science and regulation. The electronics revolution: from e-wonderland to e-wasteland. Science. 2009 Oct 30;326(5953):670-1. doi: http://dx.doi.org/10.1126/ science.1176929 PMID: 19900918
- 11. Ogunseitan OA. The Basel Convention and e-waste: translation of scientific uncertainty to protective policy. Lancet Glob Health. 2013 Dec;1(6):e313-4. doi: http://dx.doi.org/10.1016/S2214-109X(13)70110-4 PMID: 25104585
- 12. Ogunseitan OA, Allgood JM, Hammel SC, Schoenung JM. Translating the materials genome into safer consumer products. Environ Sci Technol. 2013 Nov 19;47(22):12625-7. doi: http://dx.doi.org/10.1021/es4040864 PMID: 24171451

- Legionnaire's disease
- Fisman DN, Lim S, Wellenius GA, Johnson C, Britz P, Gaskins M, et al. It's not the heat, it's the humidity: wet weather increases legionellosis risk in the greater Philadelphia metropolitan area. J Infect Dis. 2005 Dec 15;192(12):2066-73. doi: http://dx.doi.org/10.1086/498248 PMID: 16288369
- 10. Hicks LA, Rose CE Jr, Fields BS, Drees ML, Engel JP, Jenkins PR, et al. Increased rainfall is associated with increased risk for legionellosis. Epidemiol Infect. 2007 Jul;135(5):811-7. doi: http://dx.doi.org/10.1017/S0950268806007552 PMID: 17121693
- 11. Garcia-Vidal C, Labori M, Viasus D, Simonetti A Garcia-Somoza D Dorca Let al Rainfall is a risk factor for sporadic cases of Legionella pneumophila pneumonia. PLoS ONE. 2013;8(4):e61036. doi: http://dx.doi. org/10.1371/journal.pone.0061036 PMID: 23613778
- 12. Conza L, Casati S, Limoni C, Gaia V. Meteorological factors and risk of community-acquired Legionnaires' disease in Switzerland: an epidemiological study. BMJ Open. 2013;3(3):e002428. doi: http://dx.doi. org/10.1136/bmjopen-2012-002428 PMID: 23468470
- 13. Chen NT, Chen MJ, Guo CY, Chen KT, Su HJ. Precipitation increases the occurrence of sporadic legionnaires' disease in Taiwan. PLoS ONE. 2014;9(12):e114337. doi: http://dx.doi. org/10.1371/journal.pone.0114337 PMID: 25474539
- 14. Halsby KD, Joseph CA, Lee JV, Wilkinson P. The relationship between meteorological variables and sporadic cases of Legionnaires' disease in residents of England and Wales. Epidemiol Infect. 2014 Nov;142(11):2352-9. doi: http:// dx.doi.org/10.1017/S0950268813003294 PMID: 24406306
- 15. Dunn CE, Rowlingson B, Bhopal RS, Diggle P. Meteorological conditions and incidence of Legionnaires' disease in Glasgow, Scotland: application of statistical modelling. Epidemiol Infect. 2013 Apr;141(4):687-96. doi: http:// dx.doi.org/10.1017/S095026881200101X PMID: 22687530
- 16. Climate change 2013: the physical science basis. Geneva: Intergovernmental Panel on Climate Change; 2013.

Corrigendum

In Volume 93, Issue 5, May 2015, page 360, Fig. 1 should be as follows.

Fig. 1. Asbestos producers and consumers, 35 countries, 2012



- Production (metric tonnes)
- Consumption (metric tonnes)
- Country that ratified ILO's Asbestos Convention²

ILO: International Labour Organization.

Notes: Seven countries, written in bold typeface, voted to block the initiative to require prior informed consent for international shipment of chrysotile asbestos during the 2013 Conference of Parties to the Rotterdam Convention.

Data sources: Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade UNEP/FAO/TC/COP.6/204 and Asbestos statistics and information.5

Letters

Please visit http://who.int/bulletin/volumes/93/6 to read the following letters received in response to Bulletin papers: Government health expenditure in India by Manoj Grover

responding to:

Rao KD, Petrosyan V, Araujo EC, McIntyre D. Progress towards universal health coverage in BRICS: translating economic growth into better health. Bull World Health Organ. 2014 Jun 1;92(6):429-35. http:// dx.doi.org/10.2471/BLT.13.127951 PMID:24940017

Gujarat's Chiranjeevi Yojana - a difficult assessment in retrospect by Ayesha de Costa, Kranti Vora, Eric Schneider & Dileep Mavalankar

responding to:

Mohanan M, Bauhoff S, La Forgia G, Babiarz KS, Singh K, Miller G. Effect of Chiranjeevi Yojana on institutional deliveries and neonatal and maternal outcomes in Gujarat, India: a difference-indifferences analysis. Bull World Health Organ. 2014 Mar 1;92(3):187-94. http:// dx.doi.org/10.2471/BLT.13.124644 PMID:24700978