

DOI: 10.1590/1980-549720200012.supl.1

Supplementary Material 1. Driving a vehicle after abusive consumption of alcohol, by population, Brazil, 2007–2018.

Variable	Year											
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Sex												
Proportion	3.99	3.09	3.49	3.09	2.98	3.27	2.10	2.88	1.85	2.22	1.72	1.36
Variation		-0.90	0.40	-0.40	-0.11	0.29	-1.17	0.78	-1.03	0.37	-0.50	-0.36
Male		-1.51;	-0.23;	-0.97;	-0.62;	-0.30;	-1.75;	0.14;	-1.67;	-0.17;	-1.02;	-0.80;
95%CI		-0.29	1.02	0.18	0.39	0.89	-0.59	1.40	-0.38	0.90	0.01	0.10
p		0.004	0.218	0.174	0.659	0.330	0.000	0.016	0.002	0.178	0.055	0.130
Proportion	0.33	0.26	0.27	0.28	0.27	0.25	0.26	0.18	0.17	0.20	0.11	0.19
Variation		-0.07	0.01	0.01	-0.01	-0.02	0.01	-0.08	-0.01	0.03	-0.09	0.08
Female		-0.20;	-0.14;	-0.14;	-0.15;	-0.17;	-0.18;	-0.25;	-0.11;	-0.08;	-0.18;	-0.08;
95%CI		0.05	0.16	0.17	0.14	0.13	0.19	0.08	0.10	0.13	0.01	0.18
p		0.258	0.909	0.893	0.950	0.791	0.958	0.328	0.903	0.625	0.053	0.147
Proportion	2.02	1.57	1.75	1.58	1.52	1.65	1.11	1.42	0.94	1.13	0.85	0.73
Variation		-0.45	0.18	-0.17	-0.06	0.13	-0.54	0.31	-0.48	0.19	-0.28	-0.12
Both		-0.74;	-0.11;	-0.45;	-0.30;	-0.16;	-0.82;	0.01;	-0.78;	-0.0;	-0.52;	-0.34;
95%CI		-0.17	0.49	0.10	0.19	0.41	-0.25	0.61	-0.17	0.44	-0.04	0.10
p		0.002	0.225	0.208	0.660	0.391	< 0.001	< 0.001	0.002	0.157	0.023	0.280
Age range years												
Proportion	1.94	1.76	1.97	1.69	2.24	1.57	1.26	1.19	0.67	0.91	0.53	0.58
Variation		-0.18	0.21	-0.28	0.55	-0.67	-0.31	-0.07	-0.52	0.24	-0.38	0.05
18 to 24		-0.76;	-0.51;	-0.97;	-0.19;	-1.47;	-1.05;	-0.78;	-1.09;	-0.22;	-0.86;	-0.36;
95%CI		0.41	0.92	0.42	1.27	0.14	0.42	0.63	0.06	0.70	0.10	0.47
p		0.561	0.570	0.440	0.145	0.106	0.404	0.837	0.080	0.305	0.120	0.790
Proportion	3.03	2.10	2.49	2.31	2.35	2.75	2.18	2.67	1.70	1.87	1.28	1.41
Variation		-0.93	0.39	-0.18	0.04	0.40	-0.57	0.49	-0.97	0.17	-0.59	0.13
25 to 34		-1.59;	-0.25;	-0.85;	-0.62;	-0.40;	-1.42;	-0.43;	-1.90;	-0.65;	-1.28;	-0.50;
95%CI		-0.27	1.04	0.48	0.70	1.20	0.27	1.41	-0.02	0.97	0.11	0.76
p		0.006	0.233	0.588	0.909	0.322	0.181	0.296	0.044	0.696	0.098	0.693
Proportion	2.11	1.91	2.01	1.70	1.39	1.98	0.76	1.49	1.16	1.27	1.15	0.71
Variation		-0.20	0.10	-0.31	-0.31	0.59	-1.22	0.73	-0.33	0.11	-0.12	-0.44
35 to 44		-0.87;	-0.64;	-0.96;	-0.9;	-0.05;	-1.81;	-	0.12;	-0.99;	-0.42;	-0.72;
95%CI		0.46	0.84	0.34	0.18	1.22	0.6	1.33	0.33	0.65	0.48	0.07
p		0.549	0.788	0.349	0.213	0.070	0.000	0.018	0.333	0.682	0.692	0.093
Proportion	1.90	1.52	1.24	1.48	1.02	1.22	0.82	1.05	0.67	1.08	0.87	0.74
Variation		-0.38	-0.28	0.24	-0.46	0.20	-0.40	0.23	-0.38	0.41	-0.21	-0.13
45 to 54		-1.30;	-1.10;	-0.31;	-0.93;	-0.24;	-0.86;	-0.31;	-0.89;	-0.004;	-0.68;	-0.60;
95%CI		0.53	0.55	0.78	0.0	0.64	0.0	0.78	0.14	0.81	0.27	0.34
p		0.413	0.510	0.393	0.053	0.367	0.090	0.397	0.150	0.052	0.402	0.590
Proportion	1.21	0.64	1.35	0.79	0.76	0.54	0.49	0.58	0.36	0.51	0.47	0.16
Variation		-0.57	0.71	-0.56	-0.03	-0.22	-0.05	0.09	-0.22	0.15	-0.04	-0.31
55 to 64		-1.14;	-0.08;	-1.37;	-0.45;	-0.54;	-0.36;	-0.32;	-0.59;	-0.10;	-0.41;	-0.64;
95%CI		-0.01	1.50	0.26	0.38	0.11	0.26	0.50	0.14	0.39	0.35	0.02
p		0.047	0.078	0.180	0.876	0.201	0.751	0.669	0.226	0.234	0.858	0.065
Proportion	0.41	0.18	0.23	0.28	0.19	0.33	0.10	0.19	0.25	0.24	0.14	0.04
Variation		-0.23	0.05	0.05	-0.09	0.14	-0.23	0.09	0.06	-0.01	-0.10	-0.10

Continue...

Supplementary Material 1.Continuation.

Variable	Year											
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
65 and older		-0.51;	-0.17;	-0.26;	-0.34;	-0.12;	-0.47;	-0.13;	-0.19;	-0.23;	-0.29;	-0.19;
95%CI		0.05	0.28	0.34	0.17	0.40	0.01	0.30	0.30	0.20	0.09	0.00
p		0.106	0.641	0.788	0.510	0.283	0.062	0.415	0.653	0.911	0.309	0.050
Schooling												
Proportion	1.33	1.04	1.17	0.82	0.69	0.89	0.69	0.77	0.50	0.55	0.57	0.43
Variation		-0.29	0.13	-0.35	-0.13	0.20	-0.20	0.08	-0.27	0.05	0.02	-0.14
0 to 8		-0.77;	-0.37;	-0.76;	-0.44;	-0.17;	-0.59;	-0.32;	-0.73;	-0.38;	-0.35;	-0.48;
95%CI		0.19	0.63	0.06	0.18	0.57	0.20	0.48	0.18	0.47	0.39	0.20
p		0.230	0.615	0.093	0.409	0.281	0.691	0.691	0.243	0.827	0.900	0.426
Proportion	2.23	1.47	1.63	1.64	1.63	1.70	1.11	1.67	1.24	1.08	0.78	0.68
Variation		-0.76	0.16	0.01	-0.01	0.07	-0.59	0.56	-0.43	-0.16	-0.30	-0.10
9 to 11		-1.17;	-0.23;	-0.41;	-0.38;	-0.36;	-1.04;	0.01;	-0.98;	-0.54;	-0.69;	-0.48;
95%CI		-0.37	0.56	0.42	0.37	0.49	-0.14	1.10	0.11	0.23	0.07	0.28
p		0.000	0.408	0.976	0.983	0.768	0.011	0.045	0.121	0.439	0.113	0.630
Proportion	3.22	2.79	3.06	2.79	2.67	2.69	1.69	1.95	1.10	1.77	1.20	1.06
Variation		-0.43	0.27	-0.27	-0.12	0.02	-1.00	0.26	-0.85	0.67	-0.57	-0.14
12 or more		-1.01;	-0.46;	-0.97;	-0.80;	-0.76;	-1.70;	-0.39;	-1.42;	0.18;	-1.08;	-0.53;
95%CI		0.24	0.99	0.43	0.56	0.79	-0.29	0.91	-0.28	1.16	-0.07	0.26
p		0.207	0.470	0.451	0.732	0.960	0.006	0.440	0.003	0.007	0.025	0.502
Region												
Proportion	2.20	1.69	1.55	2.10	1.80	1.69	1.01	1.53	1.26	1.25	1.16	1.16
Variation		-0.51	-0.14	0.55	-0.30	-0.11	-0.68	0.52	-0.27	-0.01	-0.09	0.00
North		-0.98;	-0.60;	0.04;	-0.82;	-0.62;	-1.11;	0.01;	-0.81;	-0.47;	-0.51;	-0.46;
95%CI		0.04	0.32	1.05	0.23	0.39	-0.24	1.01	0.28	0.44	0.34	0.46
p		0.033	0.553	0.034	0.266	0.647	0.002	0.044	0.341	0.949	0.001	1.000
Proportion	2.45	1.92	1.90	2.00	2.05	1.63	1.27	1.26	1.01	1.30	0.84	0.73
Variation		-0.53	-0.02	0.10	0.05	-0.42	-0.36	-0.01	-0.25	0.29	-0.46	-0.11
Northeast		-0.94;	-0.45;	-0.32;	-0.36;	-0.83;	-0.74;	-0.43;	-0.65;	-0.06;	-0.78;	-0.39;
95%CI		-0.12	0.41	0.53	0.46	-0.02	0.02	0.40	0.15	0.63	0.13	0.17
p		0.012	0.919	0.632	0.806	0.039	0.066	0.938	0.225	0.105	0.006	0.440
Proportion	1.51	1.27	1.54	1.08	1.02	1.26	0.86	1.18	0.44	0.74	0.64	0.57
Variation		-0.24	0.27	-0.46	-0.06	0.24	-0.40	0.32	-0.74	0.30	-0.10	-0.07
Southeast		-0.78;	-0.30;	-0.95;	-0.50;	-0.29;	-0.93;	-0.24;	-1.25;	-0.11;	-0.54;	-0.48;
95%CI		0.31	0.84	0.04	0.37	0.77	0.13	0.89	-0.23	0.69	0.35	0.33
p		0.390	0.350	0.073	0.764	0.373	0.142	0.261	0.004	0.152	0.679	0.716
Proportion	2.08	1.28	1.66	1.67	1.25	1.74	1.10	1.37	0.95	1.01	0.89	0.50
Variation		-0.80	0.38	0.01	-0.42	0.49	-0.64	0.27	-0.42	0.06	-0.12	-0.39
South		-1.43;	-0.33;	-0.80;	-1.10;	-0.16;	-1.32;	-0.41;	-1.06;	-0.55;	-0.81;	-0.95;
95%CI		-0.16	1.08	0.82	0.25	1.15	0.04	0.96	0.21	0.67	0.57	0.17
p		0.014	0.291	0.980	0.221	0.139	0.063	0.433	0.186	0.838	0.000	0.176
Proportion	3.01	2.09	2.52	2.09	2.31	3.12	1.84	2.65	2.47	2.26	1.36	1.12
Variation		-0.92	0.43	-0.43	0.22	0.81	-1.28	0.81	-0.18	-0.21	-0.90	-0.24
Center West		-1.61;	-0.27;	-1.16;	-0.41;	0.04;	-2.10;	-0.08;	-1.50;	-1.42;	-1.59;	-0.83;
95%CI		-0.24	1.14	0.30	0.84	1.59	-0.47	1.72	1.15	0.99	-0.21	0.36
p		0.008	0.230	0.251	0.494	0.040	0.002	0.075	0.792	0.728	0.010	0.440

95%CI: 95% Confidence Interval.

Supplementary Material 2. Driving a vehicle after abusive consumption of alcohol, by drivers, Brazil, 2011–2018.

Variable	Year							
	2011	2012	2013	2014	2015	2016	2017	2018
Sex								
Proportion	4.67	5.00	3.21	4.52	2.87	3.27	2.62	2.10
Variation		0.33	-1.79	1.31	-1.65	0.40	-0.65	-0.52
Male		-0.58;	-2.67;	0.34;	-2.65;	-0.40;	-1.40;	-1.21;
95%CI		1.25	-0.91	2.28	-0.65	1.19	0.11	0.17
p		0.470	< 0.001	0.008	0.001	0.336	0.336	0.097
Proportion	1.07	0.92	0.91	0.65	0.58	0.63	0.35	0.60
Variation		-0.15	-0.01	-0.26	-0.07	0.05	-0.28	0.25
Female		-0.69;	-0.64;	-0.84;	-0.43;	-0.29;	-0.56;	-0.08;
95%CI		0.39	0.63	0.31	0.28	0.39	0.01	0.58
p		-0.540	0.979	0.368	0.704	0.778	0.056	0.143
Proportion	3.51	3.64	2.43	3.21	2.06	2.33	1.80	1.56
Variation		0.13	-1.21	0.78	-1.15	0.27	-0.53	-0.24
Both		-0.50;	-1.84;	0.11;	-1.82;	-0.27;	-1.03;	-0.80;
95%CI		0.77	-0.59	1.45	-0.48	0.80	-0.03	0.22
p		0.680	< 0.001	0.023	0.001	0.326	0.039	0.302
Age range								
Proportion	6.17	3.90	3.21	3.02	1.71	2.17	1.28	1.50
Variation		-2.27	-0.69	-0.19	-1.31	0.46	-0.89	0.22
18 to 24		-4.35;	-2.51;	-1.97;	-2.77;	-0.66;	-2.03;	-0.80;
95%CI		0.19	1.12	1.60	0.15	1.57	0.26	1.24
p		0.033	0.453	0.838	0.079	0.421	0.421	0.131
Proportion	4.60	5.08	3.87	4.88	3.10	3.15	2.24	2.51
Variation		0.48	-1.21	1.01	-1.78	0.05	-0.91	0.27
25 to 34		-1.01;	-2.72;	-0.64;	-3.47;	-1.35;	-2.09;	-0.83;
95%CI		1.97	0.31	2.65	-0.09	1.47	0.26	1.39
p		0.530	0.119	0.231	0.039	0.936	0.125	0.625
Proportion	2.90	3.93	1.54	3.00	2.27	2.40	2.19	1.32
Variation		1.03	-2.39	1.46	-0.73	0.13	-0.21	-0.87
35 to 44		-0.23;	-3.57;	0.26;	-2.47;	-0.89;	-1.33;	-1.84;
95%CI		2.29	-1.20	2.66	0.57	1.15	0.91	0.10
p		0.108	< 0.001	0.017	0.017	0.805	0.716	0.078
Proportion	2.24	2.72	1.74	2.50	1.48	2.18	1.89	1.58
Variation		0.48	-0.98	0.76	-1.02	0.70	-0.29	-0.31
45 to 54		-0.49;	-1.99;	-0.47;	-2.21;	-0.15;	-1.30;	-1.31;
95%CI		1.45	0.03	2.00	0.17	1.55	0.70	0.68
p		0.333	0.056	0.056	0.227	0.106	0.561	0.540
Proportion	1.89	1.36	1.25	1.54	0.86	1.20	1.12	0.39
Variation		-0.53	-0.11	0.29	-0.68	0.34	-0.08	-0.73
55 to 64		-1.34;	-0.89;	-0.78;	-1.61;	-0.24;	-0.98;	-1.50;
95%CI		0.29	0.66	1.45	0.27	0.92	0.81	0.05
p		0.207	0.766	0.596	0.160	0.247	0.853	0.067
Proportion	0.72	1.22	0.40	0.73	0.88	0.83	0.49	0.16
Variation		0.50	-0.82	0.33	0.15	-0.05	-0.34	-0.33

Continue...

Supplementary Material 2. Continuation.

Variable	Year							
	2011	2012	2013	2014	2015	2016	2017	2018
65 or older		-0.45;	-1.68;	-0.47;	-0.72;	-0.81;	-0.99;	-0.67; -
95%CI		1.44	0.06	1.12	1.03	0.70	0.33	0.002
p		0.302	0.067	0.423	0.731	0.883	0.327	0.048
Schooling								
Proportion	2.46	3.04	2.26	2.85	1.72	1.81	2.01	1.47
Variation		0.58	-0.78	0.59	-1.13	0.09	0.20	-0.54
0 to 8		-0.70;	-2.08;	-0.82;	-2.73;	-1.34;	-1.05;	-1.70;
95%CI		1.85	0.54	1.98	0.48	1.51	1.44	0.63
p		0.376	0.249	0.413	0.168	0.903	0.758	0.369
Proportion	3.95	3.80	2.51	3.81	2.79	2.43	1.81	1.66
Variation		-0.15	-1.29	1.30	-1.02	-0.36	-0.62	-0.15
9 to 11		-1.12;	-2.29;	0.08;	-2.25;	-1.22;	-1.48;	-1.05;
95%CI		0.83	-0.29	2.52	0.21	0.50	0.25	0.74
p		0.767	0.011	0.037	0.103	0.413	0.162	0.735
Proportion	3.77	3.86	2.46	2.85	1.59	2.49	1.71	1.53
Variation		0.09	-1.40	0.39	-1.26	0.90	-0.78	-0.18
12 or more		-1.01;	-2.41;	-0.55;	-2.08;	0.20;	-1.48;	-0.75;
95%CI		1.18	-0.39	1.33	-0.43	1.59	-0.07	0.37
p		0.876	0.007	0.418	0.003	0.011	0.031	0.515
Region								
Proportion	4.83	4.25	2.47	3.67	2.89	2.75	2.54	2.58
Variation		-0.58	-1.78	1.20	-0.78	-0.14	-0.21	0.04
North		-1.86;	-2.85;	0.01;	-2.05;	-1.17;	-1.14;	-0.97;
95%CI		0.70	-0.71	2.39	0.50	0.88	0.71	1.05
p		0.374	0.001	0.048	0.233	0.786	0.650	0.932
Proportion	5.57	4.13	3.23	3.16	2.66	3.10	2.05	1.74
Variation		-1.44	-0.90	-0.07	-0.50	0.44	-1.05	-0.31
Northeast		-2.48;	-1.86;	-1.09;	-1.49;	-0.42;	-1.82;	-0.99;
95%CI		-0.40	0.05	0.96	0.49	1.28	-0.27	0.36
p		0.007	0.064	0.903	0.322	0.318	0.008	0.362
Proportion	2.35	2.82	1.90	2.81	1.00	1.55	1.43	1.29
Variation		0.47	-0.92	0.91	-1.81	0.55	-0.12	-0.14
Southeast		-0.72;	-2.11;	-0.38;	-2.99;	-0.29;	-1.08;	-1.04;
95%CI		1.67	0.25	2.21	-0.64	1.40	0.83	0.76
p		0.434	0.123	0.167	0.003	0.199	0.800	0.764
Proportion	2.31	3.13	1.96	2.51	1.71	1.78	1.55	0.87
Variation		0.82	-1.17	0.55	-0.80	0.07	-0.23	-0.68
South		-0.35;	-2.37;	-0.68;	-1.94;	-1.01;	-1.43;	-1.65;
95%CI		2.00	0.03	1.78	0.35	1.14	0.98	0.29
p		0.169	0.056	0.381	0.172	0.907	0.713	0.170
Proportion	4.20	5.43	3.22	4.64	4.00	3.60	2.18	1.83
Variation		1.23	-2.21	1.42	-0.64	-0.40	-1.42	-0.35
Center West		-0.12;	-3.62;	-0.14;	-2.81;	-2.32;	-2.52;	-1.31;
95%CI		2.58	-0.81	2.97	1.53	1.53	-0.33	0.61
p		0.074	0.002	0.074	0.565	0.688	0.011	0.477

95%CI: 95% Confidence Interval.

Supplementary Material 3. Driving a vehicle after any consumption of alcohol, by population, Brazil, 2011–2018.

Variable	Year							
	2011	2012	2013	2014	2015	2016	2017	2018
Sex								
Proportion	12.55	12.58	9.37	10.72	9.82	12.89	11.69	9.25
Variation		0.03	-3.21	1.35	-0.90	3.07	-1.20	-2.44
Male		-1.16;	-4.39;	0.15;	-2.16;	1.83;	-2.51;	-3.65;
95%CI		1.23	-2.03	2.54	0.36	4.33	0.09	-1.22
p		0.959	< 0.001	0.027	0.162	< 0.001	0.069	< 0.001
Proportion	1.92	2.29	1.57	1.74	1.80	2.53	2.52	1.96
Variation		0.37	-0.72	0.17	0.06	0.73	-0.01	-0.56
Female		-0.10;	-1.22;	-0.29;	-0.37;	0.30;	-0.53;	-1.06;
95%CI		0.83	-0.22	0.63	0.49	1.16	0.50	-0.06
p		0.128	0.005	0.461	0.784	0.001	0.956	0.030
Proportion	6.82	7.03	5.16	5.87	5.49	7.30	6.74	5.31
Variation		0.21	-1.87	0.71	-0.38	1.81	-0.56	-1.43
Both		-0.40;	-2.48;	0.10;	-1.02;	1.18;	-1.23;	-2.05;
95%CI		0.82	-1.26	1.32	0.25	2.44	0.10	-0.79
p		0.502	< 0.001	0.022	0.235	0.000	0.098	< 0.001
Age range								
Proportion	6.48	6.28	4.80	4.43	4.80	6.01	5.28	4.41
Variation		-0.20	-1.48	-0.37	0.37	1.21	-0.73	-0.87
18 to 24		-1.64;	-2.86;	-1.68;	-1.05;	-0.22;	-2.22;	-2.25;
95%CI		1.24	-0.10	0.95	1.79	2.64	0.75	0.51
p		0.787	0.036	0.582	0.610	0.097	0.334	0.219
Proportion	9.92	9.98	9.03	9.75	8.70	10.71	10.78	7.86
Variation		0.06	-0.95	0.72	-1.05	2.01	0.07	-2.92
25 to 34		-1.55;	-2.65;	-1.04;	-2.86;	0.24;	-1.82;	-4.69;
95%CI		1.66	0.76	2.48	0.75	3.77	1.97	-1.14
p		0.943	0.279	0.424	0.253	0.026	0.941	0.001
Proportion	7.67	8.56	4.72	6.69	6.37	8.41	7.67	6.76
Variation		0.89	-3.84	1.97	-0.32	2.04	-0.74	-0.91
35 to 44		-0.58;	-5.20;	0.71;	-1.76;	0.62;	-2.25;	0.42;
95%CI		2.36	-2.47	3.24	1.11	3.45	0.77	0.61
p		0.237	< 0.001	0.002	0.660	0.005	0.335	0.240
Proportion	6.14	6.11	4.43	4.84	4.37	7.01	5.71	5.24
Variation		-0.03	-1.68	0.41	-0.47	2.64	-1.30	-0.47
45 to 54		-1.24;	-2.80;	-0.78;	-1.63;	1.41;	-2.62;	-1.75;
95%CI		1.17	-0.54	1.59	0.69	3.87	0.03	0.80
p		0.954	0.004	0.500	0.425	< 0.001	0.054	0.465
Proportion	3.99	4.39	2.84	3.24	2.92	4.79	4.36	2.58
Variation		0.40	-1.55	0.40	-0.32	1.87	-0.43	-1.78
55 to 64		-0.72;	-2.69;	-2.69;	-1.33;	0.73;	-1.68;	-2.73;
95%CI		1.51	-0.42	-0.42	0.70	3.00	0.82	-0.82
p		0.483	0.007	0.449	0.538	0.001	0.501	< 0.001
Proportion	2.18	2.49	0.93	1.83	2.02	2.55	2.18	1.55
Variation		0.31	-1.56	0.90	0.19	0.53	-0.37	-0.63

Continue...

Supplementary Material 3. Continuation.

Variable	Year							
	2011	2012	2013	2014	2015	2016	2017	2018
65 or older		-0.61;	2.35; -	0.20;	-0.66;	-0.24;	-1.12;	-1.27;
95%CI		1.22	0.78	1.61	1.04	1.29	0.39	0.01
p		0.508	< 0.001	0.012	0.663	0.180	0.342	0.054
Schooling								
Proportion	3.27	3.84	2.78	3.07	3.04	3.16	3.81	2.86
Variation		0.57	-1.06	0.29	-0.03	0.12	0.65	-0.95
0 to 8		-0.24;	-1.93;	-0.55;	-1.02;	-.88;	-0.33;	-1.96;
95%CI		1.38	-0.19	1.12	0.96	1.12	1.62	0.06
p		0.167	0.017	0.813	0.952	0.813	0.194	0.065
Proportion	6.41	7.07	5.07	5.94	5.26	6.63	5.30	4.50
Variation		0.66	-2.00	0.87	-0.68	1.37	-1.33	-0.80
9 to 11		-0.22;	-2.92;	-0.11;	-1.66;	0.41;	-2.33; -	-1.68;
95%CI		1.54	-1.08	1.86	0.30	2.32	0.32	0.07
p		0.142	< 0.001	0.083	0.173	0.005	0.010	0.072
Proportion	13.05	11.72	8.65	9.65	8.91	12.32	11.24	8.62
Variation		-1.33	-3.07	1.00	-0.74	3.41	-1.08	-2.62
12 or more		-2.97;	-4.58;	-0.42;	-2.15;	2.09;	-2.52;	-3.97; -
95%CI		0.31	-1.55	2.41	0.67	4.72	0.37	1.26
p		0.111	< 0.001	0.167	0.302	< 0.001	0.143	< 0.001
Region								
Proportion	6.51	6.08	4.66	5.76	5.56	6.47	7.29	5.90
Variation		-0.43	-1.42	1.10	-0.20	0.91	0.82	-1.39
North		-1.43;	-2.38;	0.21;	-1.18;	-0.3;	-0.26;	-2.51; -
95%CI		0.59	-0.46	1.99	0.78	1.86	1.88	0.27
p		0.410	0.004	0.688	0.688	0.057	0.136	0.015
Proportion	7.30	7.18	5.07	5.36	4.43	6.05	5.71	5.18
Variation		-0.12	-2.11	0.29	-0.93	1.62	-0.34	-0.53
Northeast		-0.93;	-2.88;	-0.46;	-1.66;	0.95;	-1.09;	-1.29;
95%CI		0.69	-1.35	1.03	-0.20	2.31	0.41	0.23
p		0.776	< 0.001	0.452	0.013	0.000	0.372	0.173
Proportion	5.74	6.10	4.32	5.10	4.73	6.78	5.93	4.23
Variation		0.36	-1.78	0.78	-0.37	2.05	-0.85	-1.70
Southeast		-0.81;	-2.97;	-0.38;	-1.57;	0.85;	-2.13;	-2.89;
95%CI		1.54	-0.60	1.95	0.82	3.25	0.44	-0.51
p		0.542	0.003	0.188	0.535	0.001	0.196	0.005
Proportion	8.02	8.01	6.97	6.92	6.12	8.87	8.53	7.25
Variation		-0.01	-1.04	-0.05	-0.80	2.75	-0.34	-1.28
South		-1.39;	-2.48;	-1.59;	-2.25;	1.27;	-2.27;	-3.17;
95%CI		1.36	0.39	1.51	0.64	4.23	1.59	0.60
p		0.982	0.155	0.960	0.274	< 0.001	0.733	0.181
Proportion	9.52	10.52	7.85	9.39	10.30	11.69	10.34	7.91
Variation		1.00	-2.67	1.54	0.91	1.39	-1.35	-2.43
Center West		-0.38;	-4.06;	0.00;	-1.05;	0.53;	03.11;	-4.06; -
95%CI		2.40	1.29	3.07	2.86	3.31	0.42	0.81
p		0.155	< 0.001	0.049	0.364	0.157	0.135	0.003

95%CI: 95% Confidence Interval.

Supplementary Material 4. Driving a vehicle after any consumption of alcohol, by drivers, Brazil, 2011–2018.

Variable	Year							
	2011	2012	2013	2014	2015	2016	2017	2018
Sex								
Proportion	19.66	19.22	14.28	16.85	15.23	18.99	17.85	14.24
Variation		-0.44	-4.94	2.57	-1.62	3.76	-1.14	-3.61
Male		-2.22;	-6.67;	0.78;	-3.53;	1.94;	-3.02;	-5.40; -
95%CI		1.33	-3.19	4.36	0.27	5.57	0.73	1.81
p		0.626	< 0.001	0.005	0.094	< 0.001	< 0.001	0.233
Proportion	7.42	8.18	5.45	6.25	5.99	7.94	7.97	6.25
Variation		0.76	-2.73	0.80	-0.26	1.95	0.03	-1.72
Female		-0.89;	-4.45;	-0.77;	-1.73;	0.61;	-1.53;	-3.27;
95%CI		2.42	-1.02	2.38	1.20	3.29	1.60	-0.18
p		0.900	0.002	0.315	0.723	0.004	0.969	0.028
Proportion	15.71	15.54	11.29	13.26	11.97	15.07	14.28	11.35
Variation		-0.17	-4.25	1.97	-1.29	3.10	-0.79	-2.93
Both		-1.49;	-5.54; -	0.67;	-2.65;	1.82;	-2.12;	-4.21;
95%CI		1.14	2.96	3.28	0.05	4.38	0.55	-1.65
p		0.793	< 0.001	0.003	0.060	< 0.001	0.249	< 0.001
Age range								
Proportion	17.87	15.57	12.20	11.28	12.23	14.29	12.76	11.32
Variation		-2.30	-3.37	-0.92	0.95	2.06	-1.53	-1.44
18 to 24		-5.84;	-6.67;	-4.17;	-2.53;	-1.30;	-4.95;	-4.73;
95%CI		1.24	-0.05	2.32	4.44	5.42	1.89	1.86
p		0.203	0.047	0.576	0.592	0.229	0.229	0.381
Proportion	19.42	18.40	16.06	17.83	15.78	18.07	18.76	14.00
Variation		-1.02	-2.34	1.77	-2.05	2.29	0.69	-4.76
25 to 34		-3.89;	-5.28;	-1.26;	-5.17;	-0.67;	-2.41;	-7.74;
95%CI		1.85	0.61	4.79	1.07	5.24	3.80	1.78
p		0.486	0.120	0.252	0.198	0.129	0.660	0.002
Proportion	15.92	16.97	9.47	13.45	12.40	15.77	14.50	12.49
Variation		1.05	-7.50	3.98	-1.05	3.37	-1.27	-2.01
35 to 44		-1.77;	-10.09;	1.52;	-3.79;	0.77;	-3.98;	-4.73;
95%CI		3.87	-4.90	6.44	1.68	5.97	1.45	0.71
p		0.465	< 0.001	0.002	0.002	0.011	0.362	0.148
Proportion	13.51	13.62	9.40	11.49	9.60	14.17	12.32	11.06
Variation		0.11	-4.22	2.09	-1.89	4.57	-1.85	-1.26
45 to 54		-2.49;	-6.63;	-0.52;	-4.48;	2.11;	-4.50;	-3.89;
95%CI		2.71	-1.81	4.69	0.69	7.05	0.79	1.36
p		0.936	0.001	0.001	0.116	< 0.001	0.170	0.345
Proportion	9.94	10.97	7.13	8.49	6.98	11.31	10.27	6.22
Variation		1.03	-3.84	1.36	-1.51	4.33	-1.04	-4.05
55 to 64		-1.71;	-6.62;	-1.29;	-4.03;	1.74;	-3.87;	-6.26;
95%CI		3.76	-1.06	4.02	1.00	6.93	1.80	-1.84
p		0.461	0.007	0.314	0.238	0.001	0.474	< 0.001
Proportion	8.15	9.07	3.51	6.82	7.10	8.80	7.71	5.40
Variation		0.92	-5.56	3.31	0.28	1.70	-1.09	-2.31

Continue...

Supplementary Material 4. Continuation.

Variable	Year							
	2011	2012	2013	2014	2015	2016	2017	2018
65 or older		-2.34;	-8.32;	0.74;	-2.72;	-0.90;	-3.65;	-4.51;
95%CI		4.17	-2.79	5.86	3.28	4.30	1.48	-0.11
p		0.581	< 0.001	0.012	0.853	0.200	0.407	0.039
Schooling								
Proportion	11.71	13.09	9.07	11.26	10.39	10.38	13.28	9.62
Variation		1.38	-4.02	2.19	-0.87	-0.01	2.90	-3.66
0 to 8		-1.33;	-6.83;	-0.61;	-4.19;	-3.21;	-0.27;	-6.95;
95%CI		4.10	-1.21	5.00	2.43	3.20	6.06	-0.35
p		0.318	0.005	0.126	0.604	0.997	0.073	0.030
Proportion	15.48	15.81	11.41	13.54	11.84	14.81	12.33	10.88
Variation		0.33	-4.40	2.13	-1.70	2.97	-2.48	-1.45
9 to 11		-1.61;	-6.37;	-0.01;	-3.82;	0.98;	-4.66;	-3.44;
95%CI		2.27	-2.42	4.27	0.42	5.01	-0.30	0.53
p		0.736	< 0.001	0.051	0.117	0.004	0.026	0.151
Proportion	18.43	16.81	12.57	14.10	12.93	17.31	16.07	12.38
Variation		-1.62	-4.24	1.53	-1.17	4.38	-1.24	-3.69
12 or more		-3.88;	-6.35;	-0.47;	-3.17;	2.56;	-3.22;	-5.59;
95%CI		0.63	-2.13	3.54	0.82	6.20	0.75	-1.80
p		0.157	< 0.001	0.134	0.249	< 0.001	0.224	< 0.001
Region								
Proportion	17.40	15.29	11.33	13.81	12.72	14.26	15.87	13.07
Variation		-2.11	-3.96	2.48	-1.09	1.54	1.61	-2.80
North		-4.55;	-6.22;	0.42;	-3.31;	-0.50;	-0.63;	-5.16;
95%CI		0.34	-1.69	4.55	1.12	3.58	3.84	-0.43
p		0.091	0.001	0.018	0.334	0.140	0.160	0.020
Proportion	19.77	18.19	12.85	13.48	11.62	14.43	13.92	12.33
Variation		-1.58	-5.34	0.63	-1.86	2.81	-0.51	-1.59
Northeast		-3.55;	-7.17;	-1.16;	-3.64;	1.18;	-2.23;	-3.35;
95%CI		0.39	-3.51	2.42	-0.07	4.44	1.21	0.16
p		0.115	< 0.001	0.492	0.041	0.001	0.563	0.074
Proportion	13.21	13.66	9.50	12.10	10.53	14.24	13.14	9.59
Variation		0.45	-4.16	2.60	-1.57	3.71	-1.10	-3.55
Southeast		-2.09;	-6.68;	0.01;	-4.21;	1.23;	-3.75;	-6.11;
95%CI		2.99	1.63	5.18	1.08	6.19	1.56	-0.99
p		0.729	0.001	0.050	0.246	0.003	0.418	0.006
Proportion	14.80	14.39	12.40	12.64	11.05	15.57	14.81	12.50
Variation		-0.41	-1.99	0.24	-1.59	4.52	-0.76	-2.31
South		-2.81;	-4.48;	-2.47;	-4.13;	2.00;	-3.98;	-5.44;
95%CI		1.99	0.49	2.95	0.96	7.04	2.45	0.82
p		0.737	0.115	0.862	0.222	< 0.001	0.641	0.148
Proportion	17.31	18.31	13.75	16.40	16.63	18.63	16.60	12.89
Variation		1.00	-4.56	2.65	0.23	2.00	-2.03	-3.71
Center West		-1.33;	-6.87;	0.08;	-2.89;	-0.57;	-4.76;	-6.26;
95%CI		3.34	-2.26	5.22	3.34	4.97	0.71	-1.16
p		0.400	< 0.001	0.043	0.887	0.187	0.146	0.004

95%CI: 95% Confidence Interval.